


Prepared for:
Barks & Co.

3000 mg Full Spectrum Tincture

Batch ID or Lot Number: TFS3I88272	Test: Potency	Reported: 14Sep2025	USDA License: N/A
Matrix: Solution	Test ID: T324498098	Started: 12Sep2025	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Sep2025	Status: N/A

Cannabinoids	LOD (mg/mL)	LOQ (mg/mL)	Result		Notes
			(mg/mL)	Result (mg/g)	
Cannabichromene (CBC)	0.040	0.158	2.600	2.70	Density = 0.947752g/mL
Cannabichromenic Acid (CBCA)	0.036	0.145	ND	ND	
Cannabidiol (CBD)	0.155	0.449	86.540	91.30	
Cannabidiolic Acid (CBDA)	0.159	0.461	ND	ND	
Cannabidivarin (CBDV)	0.037	0.106	0.980	1.00	
Cannabidivarinic Acid (CBDVA)	0.066	0.192	ND	ND	
Cannabigerol (CBG)	0.023	0.090	1.230	1.30	
Cannabigerolic Acid (CBGA)	0.094	0.375	ND	ND	
Cannabinol (CBN)	0.029	0.117	0.620	0.70	
Cannabinolic Acid (CBNA)	0.064	0.256	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.112	0.447	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.102	0.406	2.410	2.50	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.090	0.360	ND	ND	
Tetrahydrocannabivarin (THCV)	0.021	0.082	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.080	0.317	ND	ND	
Total Cannabinoids			94.380	99.50	
Total Potential THC			2.410	2.50	
Total Potential CBD			86.540	91.30	

Final Approval



Karen Winternheimer
14Sep2025
02:07:00 PM MST

PREPARED BY / DATE



Sam Smith
14Sep2025
02:08:00 PM MST

APPROVED BY / DATE



Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

